



## JABATAN AIR NEGERI SABAH

### Butiran Pendaftaran

No Sijil : JANS.2025.16c

Nama Pembekal : **CEMERLANG PADAS SDN BHD**  
Lot 32, 2nd Floor, Block F, KK Times Square, Off Coastal Road,  
88100 Kota Kinabalu, Sabah

Nama Pembuat /  
Pengilang : **GEORGE KENT (MALAYSIA) BERHAD**  
1115, Jalan Puchong, Taman Meranti Jaya,  
47120 Puchong, Selangor

Nama Prinsipal /  
Pemilik : **GEORGE KENT (MALAYSIA) BERHAD**  
1115, Jalan Puchong, Taman Meranti Jaya,  
47120 Puchong, Selangor

Nama Produk : Meter

Kategori : A [Measuring Device]

Kelas/Saiz/Model : (Sila rujuk Jadual di muka surat belakang)

Jenama : **GKM**

Piawaian : ISO 4046-1:2014, ISO 4046-4:2014

Tarikh dikeluarkan : 20 Februari 2025

Sah sehingga : 20 Februari 2027

Perihal produk :

<b>NAMA PRODUK</b>	<b>MODEL</b>	<b>SIRI</b>	<b>PERIHAL/KELAS/SAIZ</b>
CUSTODY TRANSFER METER - MECHANICAL METER	H4000 WOLTMANN	NA/PERMANENT FLOWRATE (Q3): 160 M3/H MEASURING RANGE (Q3/Q1): R125, MAXIMUM ADMISSIBLE (MAP): 16 BAR; TEMPERATURE CLASS: T50; PRESSURE LOSS: LESS THAN 0.25 BAR	ACCURACY CLASS 2; ANALOGUE METER; METER ORIENTATION: ANY POSITION; CHARACTERISTICS: IN- LINE METERS; BODY MATERIAL: DUCTILE IRON; END CONNECTION: FLANGED END/NOMINAL SIZE :DN80; LENGTH: 200MM/TYPE: ANALOGUE METER NOMINAL SIZE: DN80; LENGTH: 200MM
	H4000 WOLTMANN	NA/PERMANENT FLOWRATE (Q3): 160 M3/H; MEASURING RANGE (Q3/Q1): R125; MAXIMUM ADMISSIBLE (MAP): 16 BAR; TEMPERATURE CLASS: T50; PRESSURE LOSS: LESS THAN 0.25 BAR	ACCURACY CLASS 2; ANALOGUE METER; METER ORIENTATION: ANY POSITIONS; CHARACTERISTICS: IN- LINE METERS; BODY MATERIAL: DUCTILE IRON; END CONNECTION: FLANGED END/NOMINAL SIZE: DN100; LENGTH: 250MM/TYPE ANALOGUE METER NOMINAL SIZE: DN100; LENGTH: 250MM

No Sijil : JANS.2025.16c  
 Perihal :

	H4000 WOLTMANN	NA/PERMANENT FLOWRATE (Q3): 400 M3/H; MEASURING RANGE (Q3/Q1): R125; MAXIMUM ADMISSIBLE (MAP): 16 BAR; TEMPERATURE CLASS: T50; PRESSURE LOSS: LESS THAN 0.16 BAR	ACCURACY CLASS 2; ANALOGUE METER; METER ORIENTATION: ANY POSITIONS; CHARACTERISTICS: IN-LINE METERS; BODY MATERIAL: DUCTILE IRON; END CONNECTION: FLANGED END/NOMINAL SIZE: DN150; LENGTH: 300MM/TYPE ANALOGUE METER NOMINAL SIZE: DN150; LENGTH: 300MM
	H4000 WOLTMANN	NA/PERMANENT FLOWRATE (Q3): 630 M3/H; MEASURING RANGE (Q3/Q1): R125; MAXIMUM ADMISSIBLE (MAP): 16 BAR; TEMPERATURE CLASS: T50; PRESSURE LOSS: LESS THAN 0.16 BAR	ACCURACY CLASS 2; ANALOGUE METER; METER ORIENTATION: HORIZONTAL POSITIONS; CHARACTERISTICS: IN-LINE METERS; BODY MATERIAL: DUCTILE IRON; END CONNECTION: FLANGED END/NOMINAL SIZE: DN200; LENGTH: 350MM/TYPE ANALOGUE METER NOMINAL SIZE: DN200; LENGTH: 350MM
	GKMJ2, MULTI-JET METER	NA/PERMANENT FLOWRATE (Q3): 2.5 M3/H; MEASURING RANGE (Q3/Q1): R80; MAXIMUM ADMISSIBLE (MAP): 10 BAR; TEMPERATURE CLASS: T50; PRESSURE LOSS: LESS THAN 0.63 BAR	ACCURACY CLASS 2; ANALOGUE METER; CHARACTERISTICS: IN-LINE METERS; ORIENTATION: HORIZONTAL; BODY MATERIAL: BRASS, GRADE CUZN39PB1AL-C; END CONNECTION: THREADED END/NOMINAL SIZE: DN15; LENGTH: 165MM/TYPE ANALOGUE METER NOMINAL SIZE: DN15; LENGTH: 165MM

FOR WEBSITE